

**MERSILENE®**











## MERSILENE\* Polyester Suture

<b>Product Characteristics</b>	<b>MERSILENE* Suture</b>
Physical Material	Polyester fibre
Construction	Braided (Monofilament sizes 10/0 and 11/0)
Absorbable / Non-absorbable	Non-absorbable
Coating (if applicable)	N/A
Colours	White and green
Available Size Range	5 through 11/0
Tensile Strength (Wound Support)	Long term wound support
Tensile Strength Retention in Tissue	Indefinite
Absorption Time	Non-absorbable
Frequent Uses	Cardiovascular; General and Plastic surgery; retention; Ophthalmology












\*Trademark

# MERSILENE

## Polyester Fiber Suture

Needle length and description	Length	Colour	Gauge							
<input type="radio"/> 1/2 CIRCLE ETHIGUARD BLUNT POINT			5mm tape							
BP-1 	65mm 65mm	30cm	undyed	<b>RS21</b>						
<input checked="" type="checkbox"/> 3/8 CIRCLE PRECISION POINT REVERSE CUTTING			5/0 1	4/0 1.5	3/0 2	2/0 3	0 3.5	1 4	2 5	
P-3 	13mm	45cm	undyed	<b>R690G</b>	<b>R691G</b>					
<input checked="" type="checkbox"/> 3/8 CIRCLE REVERSE CUTTING			5/0 1	4/0 1.5	3/0 2	2/0 3	0 3.5	1 4	2 5	
FS-2 	19mm	45cm	undyed		<b>R633H</b>					
FS-1 	24mm	45cm	undyed			<b>R647H</b>				
<input checked="" type="checkbox"/> 1/2 CIRCLE REVERSE CUTTING			5/0 1	4/0 1.5	3/0 2	2/0 3	0 3.5	1 4	2 5	
CP 	40mm	75cm	undyed							<b>R995G</b>
<input checked="" type="checkbox"/> 1/2 CIRCLE REVERSE CUTTING			5mm tape							
OS-8 	40mm	90cm	undyed	<b>D9212</b>						
<input checked="" type="checkbox"/> 1/2 CIRCLE TAPER POINT			3/0 2	2/0 3	0 3.5	1 4	2 5	3 6	4 6	
SH 	26mm	75cm	green	<b>R832H</b>	<b>R833H</b>					
<input checked="" type="checkbox"/> 1/2 CIRCLE TAPER POINT			5mm tape							
CTX 	48mm 48mm	30cm	undyed	<b>RS22</b>						

# MERSILENE Polyester Fiber Suture

Needle length and description		Length	Colour	Gauge						
<b>STRAIGHT CUTTING</b>				5/0 1	4/0 1.5	3/0 2	2/0 3	0 3.5	1 4	2 5
 KS	60mm	75cm	white				<b>D9433</b>			
<b>1/2 CIRCLE MICROPOINT SPATULA</b>				11/0 0.1	10/0 0.2	9/0 0.3	8/0 0.4	7/0 0.5	6/0 0.7	5/0 1
 TG160-4	5.5mm 5.5mm	30cm	green	<b>R750G</b>						
<b>1/4 CIRCLE SABRELOC CONVENTIONAL SPATULA</b>				4/0 1.5	3/0 2	2/0 3	0 3.5	1 4	2 5	3 6
 S-4	8mm 8mm	45cm	undyed							
<b>1/2 CIRCLE SABRELOC CONVENTIONAL SPATULA</b>				6/0 0.7	5/0 1	4/0 1.5	3/0 2	2/0 3	0 3.5	1 4
 S-28	8mm	45cm	undyed	<b>D7683</b>						
<b>1/4 CIRCLE SABRELOC SPATULA</b>				6/0 0.7	5/0 1	4/0 1.5	3/0 2	2/0 3	0 3.5	1 4
 S-14	8mm 8mm	45cm	8mm 8mm	<b>1772G</b>	<b>1760G</b>					
 S-14	8mm 8mm	2x45cm	8mm 8mm		<b>W843</b>	<b>W832</b>				
<b>1/2 CIRCLE SABRELOC SPATULA</b>				6/0 0.7	5/0 1	4/0 1.5	3/0 2	2/0 3	0 3.5	1 4
 S-2	8mm 8mm	45cm	undyed			<b>1779G</b>				
<b>1/4 CIRCLE SABRELOC CENTRE POINT SPATULA</b>				6/0 0.7	5/0 1	4/0 1.5	3/0 2	2/0 3	0 3.5	1 4
 RD-1	8mm 8mm	45cm	undyed		<b>746G</b>					
<b>3/8 CIRCLE ULTIMA SPATULA</b>				10/0 0.2	9/0 0.3	8/0 0.4	7/0 0.5	6/0 0.7	5/0 1	4/0 1.5
 CS140-6	6.5mm 6.5mm	30cm	green	<b>R770G</b>						
<b>1/2 CIRCLE ULTIMA SPATULA</b>				10/0 0.2	9/0 0.3	8/0 0.4	7/0 0.5	6/0 0.7	5/0 1	4/0 1.5
 CS160-6	5.5mm 5.5mm	30cm	green	<b>R756G</b>						
<b>BI-CURVE ULTIMA SPATULA</b>				10/0 0.2	9/0 0.3	8/0 0.4	7/0 0.5	6/0 0.7	5/0 1	4/0 1.5
 CSB-6	4.8mm 4.8mm	20cm	green	<b>R721G</b>						